

ECHRS Publications 11th February 2009

[The European Asthma Study. The prevalence of asthma-related symptoms in 5 Spanish areas. The Spanish Group of the European Asthma Study]. *Med Clin (Barc)* 1995; Apr 8;104(13):487-92.

Abramson M, Kutin J, Czarny D, Walters EH. The prevalence of asthma and respiratory symptoms among young adults: is it increasing in Australia?. *J Asthma* 1996;33(3):189-96.

Abramson M, Kutin JJ, Raven J, Lanigan A, Czarny D, Walters EH. Risk factors for asthma among young adults in Melbourne, Australia. *Respirology* 1996; Dec;1(4):291-7.

Abramson M, Matheson M, Wharton C, Sim M, Walters EH. Prevalence of respiratory symptoms related to chronic obstructive pulmonary disease and asthma among middle aged and older adults. *Respirology* 2002; Dec;7(4):325-31.

Accordini S, Corsico A, Cerveri I, Gislason D, Gulsvik A, Janson C, et al. The socio-economic burden of asthma is substantial in Europe. *Allergy* 2008; Jan;63(1):116-24.

Adalsteinsdottir B, Sigurdardottir ST, Gislason T, Kristensen B, Gislason D. What characterizes house dust mite sensitive individuals in a house dust mite free community in Reykjavik, Iceland?. *Allergol Intern* 2007; Mar;56(1):51-6.

Al-Hazmi M, Wooldrage K, Anthonisen NR, Becklake MR, Bowie D, Chan-Yeung M, et al. Airflow obstruction in young adults in Canada. *Can Respir J* 2007; May-Jun;14(4):221-7.

Almolki A, Guenegou A, Golda S, Boyer L, Benallaoua M, Amara N, et al. Heme oxygenase-1 prevents airway mucus hypersecretion induced by cigarette smoke in rodents and humans. *Am J Pathol* 2008; Oct;173(4):981-92.

Alves J, Hespanhol V, Magalhaes A, Almeida J, Marqués JA. [Prevalence of asthma in the city of Porto].[see comment]. *Acta Med Port* 1994; Jan;7(1):21-4.

Aubier M, Guenegou A, Benessiano J, Leynaert B, Boczkowski J, Neukirch F. [Association of lung function decline with the microsatellite polymorphism in the heme oxygenase-1 gene promoter, in a general population sample. Results from the Longitudinal European Community Respiratory Health Survey (ECRHS-France)]. *Bull Acad Natl Med* 2006; discussion 890-1; Apr-May;190(4-5):877-90.

Basagaña X, Sunyer J, Kogevinas M, Zock JP, Duran-Tauleria E, Jarvis D, et al. Socioeconomic status and asthma prevalence in young adults: the European Community Respiratory Health Survey. *Am J Epidemiol* 2004; Jul 15;160(2):178-88.

Basagaña X, Sunyer J, Zock JP, Kogevinas M, Urrutia I, Maldonado JA, et al. Incidence of asthma and its determinants among adults in Spain. *Am J Respir Crit Care Med* 2001; Oct 1;164(7):1133-7.

Bedada GB, Heinrich J, Götschi T, Downs SH, Forsberg B, Jarvis D, et al. Urban background particulate matter and allergic sensitization in adults of ECRHS II. *Int J Hyg Environ Health* 2007; Dec;210(6):691-700.

Benke G, Abramson M, Raven J, Thien FC, Walters EH. Asthma and vaccination history in a young adult cohort. *Aust N Z J Public Health* 2004; Aug;28(4):336-8.

Biino G, Rezzani C, Grassi M, Marinoni A. ECRHS screening questionnaire scoring: a methodological suggestion for asthma assessment. European Community Health Survey. *J Outcome Meas* 2000; -2001;4(4):740-62.

Björnsson E, Janson C, Hakansson L, Enander I, Venge P, Boman G. Eosinophil peroxidase: a new serum marker of atopy and bronchial hyper-responsiveness. *Respir Med* 1996; Jan;90(1):39-46.

Björnsson E, Janson C, Hakansson L, Enander I, Venge P, Boman G. Serum eosinophil cationic protein in relation to bronchial asthma in a young Swedish population. *Allergy* 1994; Oct;49(9):730-6.

Björnsson E, Janson C, Plaschke P, Norrman E, Sjöberg O. Prevalence of sensitization to food allergens in adult Swedes. *Ann Allergy Asthma Immunol* 1996; Oct;77(4):327-32.

Björnsson E, Janson C, Plaschke P, Norrman E, Sjöberg O. Venom allergy in adult Swedes: a population study. *Allergy* 1995; Oct;50(10):800-5.

Björnsson E, Plaschke P, Norrman E, Janson C, Lundback B, Rosenhall A, et al. Symptoms related to asthma and chronic bronchitis in three areas of Sweden. *Eur Respir J* 1994; Dec;7(12):2146-53.

Blanc PD, Burney P, Janson C, TorénK. The prevalence and predictors of respiratory-related work limitation and occupational disability in an international study. *Chest* 2003; Sep;124(3):1153-9.

Blanc PD, ELLBJÄR S, Janson C, Norbäck D, Norrman E, Plaschke P, et al. Asthma-related work disability in Sweden. The impact of workplace exposures. *Am J Respir Crit Care Med* 1999; Dec;160(6):2028-33.

Boezen HM, Schouten JP, Postma DS, Rijcken B. Relation between respiratory symptoms, pulmonary function and peak flow variability in adults. *Thorax* 1995; Feb;50(2):121-6.

Boezen HM, Schouten JP, Postma DS, Rijcken B. Distribution of peak expiratory flow variability by age, gender and smoking habits in a random population sample aged 20-70 yrs. *Eur Respir J* 1994; Oct;7(10):1814-20.

Bommarito L, Migliore E, Bugiani M, Heffler E, Guida G, Bucca C, de Marco R, Rolla G. ECRHS Turin,Italy Study Group. . *Respiration* 2008;75(4):386-92.

Bousquet J, Knani J, Henry C, Liard R, Richard A, Michel FB, et al. Undertreatment in a nonselected population of adult patients with asthma. *J Allergy Clin Immunol* 1996; Sep;98(3):514-21.

Bousquet PJ, Chatzi L, Jarvis D, Burney P. Assessing skin prick tests reliability in ECRHS-I. *Allergy* 2008; Mar;63(3):341-6.

Bousquet PJ, Chinn S, Janson C, Kogevinas M, Burney P, Jarvis D, et al. Geographical variation in the prevalence of positive skin tests to environmental aeroallergens in the European Community Respiratory Health Survey I. *Allergy* 2007; Mar;62(3):301-9.

Bousquet PJ, Hooper R, Kogevinas M, Jarvis D, Burney P. Number of allergens to be tested to assess allergenic sensitization in epidemiologic studies: results of the European Community Respiratory Health Survey I. *Clin Exp Allergy* 2007; May;37(5):780-7.

Bousquet PJ, Leynaert B, Neukirch F, Sunyer J, Janson CM, Antó J, et al. Geographical distribution of atopic rhinitis in the European Community Respiratory Health Survey I. *Allergy* 2008; Oct;63(10):1301-9.

Bråbäck L, Plaschke P, Nilsson L, Boman G, Janson C. [Great geographic variations in the prevalence of asthma and allergy. International population studies to explain the associative factors]. *Lakartidningen* 2001; Nov 21;98(47):5322-6.

Burney P. Ten years of research on asthma in Europe. The European Community Respiratory Health Survey. *Rev Epidemiol Sante Publique* 1998; Dec;46(6):491-6.

Burney P, Malmberg E, Chinn S, Jarvis D, Luczynska C, Lai E. The distribution of total and specific serum IgE in the European Community Respiratory Health Survey.

J Allergy Clin Immunol 1997; Mar;99(3):314-22.

Burney PG, Luczynska C, Chinn S, Jarvis D. The European Community Respiratory Health Survey. *Eur Respir J* 1994; May;7(5):954-60.

Campello C, Ferrari M, Poli A, Olivieri M, Tardivo S, Verlato G, et al. Prevalence of asthma and asthma-like symptoms in an adult population sample from Verona.

ECRHS Verona. European Community Respiratory Health Survey. *Monaldi Arch Chest Dis* 1998; Oct;53(5):505-9.

Carosso A, Bugiani M, Migliore E, Antó JM, DeMarco R. Reference values of total serum IgE and their significance in the diagnosis of allergy in young European adults.

Int Arch Allergy Immunol 2007;142(3):230-8.

Castellsagué J, Burgos F, Sunyer J, Barberà JA, Roca J. Prediction equations for forced spirometry from European origin populations. Barcelona Collaborative Group on Reference Values for Pulmonary Function Testing and the Spanish Group of the European Community Respiratory Health Survey. *Respir Med* 1998; Mar;92(3):401-7.

Castro-Giner F, Kogevinas M, Mächler M, de Cid R, Van Steen K, Imboden M, et al. TNFA -308G>A in two international population-based cohorts and risk of asthma.

Eur Respir J 2008; Aug;32(2):350-61.

Cazzoletti L, Marcon A, Janson C, Corsico A, Jarvis D, Pin I, et al. Asthma control in Europe: a real-world evaluation based on an international population-based study. *J Allergy Clin Immunol* 2007; Dec;120(6):1360-7.

Cerveri I, Accordini S, Verlato G, Corsico A, Zoia MC, Casali L, Burney P, de Marco R, European Community Respiratory Health Survey (ECRHS) Study Group. Variations in the prevalence across countries of chronic bronchitis and smoking habits in young adults. *Eur Respir J* 2001; Jul;18(1):85-92.

Cerveri I, Accordini S, Corsico A, Zoia MC, Carrozzi L, Cazzoletti L, et al. Chronic cough and phlegm in young adults. *Eur Respir J* 2003; Sep;22(3):413-7.

Cerveri I, Locatelli F, Zoia MC, Corsico A, Accordini S, de Marco R. International variations in asthma treatment compliance: the results of the European Community Respiratory Health Survey (ECRHS). *Eur Respir J* 1999; Aug;14(2):288-94.

Cerveri I, Zoia MC, Bugiani M, Corsico A, Carosso A, Piccioni P, et al. Inadequate antiasthma drug use in the north of Italy. *Eur Respir J* 1997; Dec;10(12):2761-5.

Chinn S, Arossa WA, Jarvis DL, Luczynska CM, Burney PG. Variation in nebulizer aerosol output and weight output from the Mefar dosimeter: implications for multicentre studies. *Eur Respir J* 1997; Feb;10(2):452-6.

Chinn S, Burney P, Jarvis D, Luczynska C. Variation in bronchial responsiveness in the European Community Respiratory Health Survey (ECRHS). *Eur Respir J* 1997; Nov;10(11):2495-501.

Chinn S, Burney P, Sunyer J, Jarvis D, Luczynska C. Sensitization to individual allergens and bronchial responsiveness in the ECRHS. European Community Respiratory Health Survey. *Eur Respir J* 1999; Oct;14(4):876-84.

Chinn S, Downs SH, Antó JM, Gerbase MW, Leynaert B, de Marco R, et al. Incidence of asthma and net change in symptoms in relation to changes in obesity. *Eur Respir J* 2006; Oct;28(4):763-71.

Chinn S, Heinrich J, Antó JM, Janson C, D, Olivieri M, et al. Bronchial responsiveness in atopic adults increases with exposure to cat allergen. *Am J Respir Crit Care Med* 2007; Jul 1;176(1):20-6.

Chinn S, Janson C, Svanes C, Dharmage S, Jarvis D. The relation of adult bronchial responsiveness to serious childhood respiratory illness in the ECRHS. *Respir Med* 2007; May;101(5):983-8.

Chinn S, Jarvis D, Burney P, European Community Respiratory Health S. Relation of bronchial responsiveness to body mass index in the ECRHS. European Community Respiratory Health Survey. *Thorax* 2002; Dec;57(12):1028-33.

Chinn S, Jarvis D, Burney P, Luczynska C, Ackermann-Liebrich U, Antó JM, et al. Increase in diagnosed asthma but not in symptoms in the European Community Respiratory Health Survey. *Thorax* 2004; Aug;59(8):646-51.

Chinn S, Jarvis D, Luczynska C, Burney P. Individual allergens as risk factors for bronchial responsiveness in young adults. *Thorax* 1998; Aug;53(8):662-7.

Chinn S, Jarvis D, Luczynska CM, Ackermann-Liebrich U, Antó JM, Cerveri I, et al. An increase in bronchial responsiveness is associated with continuing or restarting smoking. *Am J Respir Crit Care Med* 2005; Oct 15;172(8):956-61.

Chinn S, Jarvis D, Luczynska CM, Lai E, Burney PG. Measuring atopy in a multi-centre epidemiological study. *Eur J Epidemiol* 1996; Apr;12(2):155-62.

Chinn S, Jarvis D, Melotti R, Luczynska C, Ackermann-Liebrich U, Antó JM, et al. Smoking cessation, lung function, and weight gain: a follow-up study. *Lancet* 2005; discussion 1600-1; May 7-13;365(9471):1629-35.

Chinn S, Jarvis D, Svanes C, Burney P. Sources of variation in forced expiratory volume in one second and forced vital capacity. *Eur Respir J* 2006; Apr;27(4):767-73.

Chinn S, Zanolin E, Lai E, Jarvis D, Luczynska CM, Burney PG. Adjustment of reported prevalence of respiratory symptoms for non-response in a multi-centre health survey. *Int J Epidemiol* 1995; Jun;24(3):603-11.

Chowgule RV, Shetye VM, Parmar JR, Bhosale AM, Khandagale MR, Phalnitkar SV, et al. Prevalence of respiratory symptoms, bronchial hyperreactivity, and asthma in a megacity. Results of the European community respiratory health survey in Mumbai (Bombay). *Am J Respir Crit Care Med* 1998; Aug;158(2):547-54.

Corsico AG, Cazzoletti L, de Marco R, Janson C, Jarvis D, Zoia MC, et al. Factors affecting adherence to asthma treatment in an international cohort of young and middle-aged adults. *Respir Med* 2007; Jun;101(6):1363-7.

Cortés X, Soriano JB, Sánchez-Ramos JL, Azofra J, Almar E, Ramos J. [European study of asthma. Prevalence of atopy in young adults of 5 areas in Spain. Spanish Group of European Asthma Study]. *Med Clin (Barc)* 1998; Nov 7;111(15):573-7.

Cortés X, Soriano JB, Sunyer J, Martínez-Moratalla J, Muñozgoren N, Maldonado JA, et al. [Factors associated with the development of atopy in young adults]. *Med Clin (Barc)* 2000; Feb 12;114(5):165-8.

Crane J, Lewis S, Slater T, Crossland L, Robson B, D'Souza W, et al. The self reported prevalence of asthma symptoms amongst adult New Zealanders. *N Z Med J* 1994; Oct 26;107(988):417-21.

Cyrys J, Pitz M, Hazenkamp-von Arx ME, Künzli N, Heinrich J. Evaluation of a sampling strategy for estimation of long-term PM_{2.5} exposure for epidemiological studies. *Environ Monit Assess* 2006; Aug;119(1-3):161-71.

de Marco R. [Contribution of epidemiologic research to the knowledge on the etiology of asthma]. *Recenti Prog Med* 2001; Sep;92(9):513-20.

de Marco R, Accordini S, Cerveri I, Corsico A, Antó JM, Künzli N, et al. Incidence of chronic obstructive pulmonary disease in a cohort of young adults according to the

presence of chronic cough and phlegm. *Am J Respir Crit Care Med* 2007; Jan 1;175(1):32-9.

de Marco R, Accordini S, Cerveri I, Corsico A, Sunyer J, Neukirch F, et al. An international survey of chronic obstructive pulmonary disease in young adults according to GOLD stages. *Thorax* 2004; Feb;59(2):120-5.

de Marco R, Cerveri I, Bugiani M, Ferrari M, Verlato G. An undetected burden of asthma in Italy: the relationship between clinical and epidemiological diagnosis of asthma. *Eur Respir J* 1998; Mar;11(3):599-605.

de Marco R, Locatelli F, Sunyer J, Burney P. Differences in incidence of reported asthma related to age in men and women. A retrospective analysis of the data of the European Respiratory Health Survey. *Am J Respir Crit Care Med* 2000; Jul;162(1):68-74.

de Marco R, Marcon A, Jarvis D, Accordini S, Almar E, Bugiani M, et al. Prognostic factors of asthma severity: a 9-year international prospective cohort study. *J Allergy Clin Immunol* 2006; Jun;117(6):1249-56.

de Marco R, Marcon A, Jarvis D, Accordini S, Bugiani M, Cazzoletti L, et al. Inhaled steroids are associated with reduced lung function decline in subjects with asthma with elevated total IgE. *J Allergy Clin Immunol* 2007; Mar;119(3):611-7.

de Marco R, Pattaro C, Locatelli F, Svanes C, ECRHS Study G. Influence of early life exposures on incidence and remission of asthma throughout life. *J Allergy Clin Immunol* 2004; May;113(5):845-52.

de Marco R, Verlato G, Zanolin E, Bugiani M, Drane JW. Nonresponse bias in EC Respiratory Health Survey in Italy. *Eur Respir J* 1994; Dec;7(12):2139-45.

de Marco R, Zanolin ME, Accordini S, Signorelli D, Marinoni A, Bugiani M, et al. A new questionnaire for the repeat of the first stage of the European Community Respiratory Health Survey: a pilot study. *Eur Respir J* 1999; Nov;14(5):1044-8.

de Meer G, Kerkhof M, Kromhout H, Schouten JP, Heederik D. Interaction of atopy and smoking on respiratory effects of occupational dust exposure: a general population-based study. *Environ Health* 2004; Jun 2;3(1):6.

de Vocht F, Zock JP, Kromhout H, Sunyer J, Antó JM, Burney P, et al. Comparison of self-reported occupational exposure with a job exposure matrix in an international community-based study on asthma. *Am J Ind Med* 2005; May;47(5):434-42.

DeMarco R, Marinoni A, Bugiani M, Lo Cascio V. [EC Respiratory Health Surgery in the north of Italy: methodological problems of a multicenter study of prevalence of asthma]. *Epidemiol Prev* 1994; Dec;18(61):211-7.

Dharmage SC, Abramson M, Raven J, Thien FC, Walters EH. Why do only some of the young adults with bronchial hyperreactivity wheeze?. *J Asthma* 1998;35(5):391-9.

Droste JH, Kerhof M, de Monchy JG, Schouten JP, Rijcken B. Association of skin test reactivity, specific IgE, total IgE, and eosinophils with nasal symptoms in a community-based population study. The Dutch ECRHS Group. *J Allergy Clin Immunol* 1996; Apr;97(4):922-32.

Ellison-Loschmann L, Sunyer J, Plana E, Pearce N, Zock JP, Jarvis D, et al. Socioeconomic status, asthma and chronic bronchitis in a large community-based study. *Eur Respir J* 2007; May;29(5):897-905.

Ferrari M, Poli A, Olivieri M, Tardivo S, Biasin C, Balestreri F, et al. Seroprevalence of Chlamydia pneumoniae antibodies in a young adult population sample living in Verona. European Community Respiratory Health Survey (ECRHS) Verona. *Infection* 2000; Jan-Feb;28(1):38-41.

Ferrari M, Tardivo S, Zanolin ME, Olivieri M, Lampronti G, Biasin C, et al. Serious childhood respiratory infections and asthma in adult life. A population based study. ECRHS Italy. European Community Respiratory Health Survey. *Ann Allergy Asthma Immunol* 1999; Nov;83(5):391-6.

Fishwick D, Bradshaw LM, D'Souza W, Town I, Armstrong R, Pearce N, et al. Chronic bronchitis, shortness of breath, and airway obstruction by occupation in New Zealand. *Am J Respir Crit Care Med* 1997; Nov;156(5):1440-6.

Fishwick D, Pearce N, D'Souza W, Lewis S, Town I, Armstrong R, et al. Occupational asthma in New Zealanders: a population based study. *Occup Environ Med* 1997; May;54(5):301-6.

Gaga M, Papageorgiou N, Yiourgioti G, Karydi P, Liapikou A, Bitsakou H, et al. Risk factors and characteristics associated with severe and difficult to treat asthma phenotype: an analysis of the ENFUMOSA group of patients based on the ECRHS questionnaire. *Clin Exp Allergy* 2005; Jul;35(7):954-9.

Galobardes B, Sunyer J, Antó JM, Castellsagué J, Soriano JB, Tobias A. Effect of the method of administration, mail or telephone, on the validity and reliability of a respiratory health questionnaire. The Spanish Centers of the European Asthma Study. *J Clin Epidemiol* 1998; Oct;51(10):875-81.

Gehring U, Bischof W, Schlenvoigt G, Richter K, Fahlbusch B, Wichmann HE, et al. Exposure to house dust endotoxin and allergic sensitization in adults. *Allergy* 2004; Sep;59(9):946-52.

Gislason D, Björnsson E, Gislason T, Janson C, Sjöberg O, Elfman L, et al. Sensitization to airborne and food allergens in Reykjavik (Iceland) and Uppsala (Sweden) - a comparative study. *Allergy* 1999; Nov;54(11):1160-7.

Gislason D, Gislason T. IgE-mediated allergy to *Lepidoglyphus destructor* in an urban population--an epidemiologic study. *Allergy* 1999; Aug;54(8):878-83.

Götschi T, Sunyer J, Chinn S, de Marco R, Forsberg B, Gauderman JW, et al. Air pollution and lung function in the European Community Respiratory Health Survey. *Int J Epidemiol* 2008; Dec;37(6):1349-58.

Grassi M, Bugiani M, de Marco R. Investigating indicators and determinants of asthma in young adults. *Eur J Epidemiol* 2006;21(11):831-42.

Grassi M, Nucera A, Zanolin E, Omenaas E, Antó JM, Leynaert B, et al. Performance comparison of Likert and binary formats of SF-36 version 1.6 across ECRHS II adults populations. *Value Health* 2007; Nov-Dec;10(6):478-88.

Grassi M, Rezzani C, Biino G, Marinoni A. Asthma-like symptoms assessment through ECRHS screening questionnaire scoring. *J Clin Epidemiol* 2003; Mar;56(3):238-47.

Grassi M, Villani S, Marinoni A, ECRHS G, European Community Respiratory Health S. Classification methods for the identification of 'case' in epidemiological diagnosis of asthma. *Eur J Epidemiol* 2001;17(1):19-29.

Gudmundsson G, Sigurdarson ST, Tomasson K, Gislason D, Hallas T. [House dust mites at Icelandic farms]. *Laeknabladid* 2008; Nov;94(11):723-7.

Guenegou A, Boczkowski J, Aubier M, Neukirch F, Leynaert B. Interaction between a heme oxygenase-1 gene promoter polymorphism and serum beta-carotene levels on 8-year lung function decline in a general population: the European Community Respiratory Health Survey (France). *Am J Epidemiol* 2008; Jan 15;167(2):139-44.

Guenegou A, Leynaert B, Benessiano J, Pin I, Demoly P, Neukirch F, et al. Association of lung function decline with the heme oxygenase-1 gene promoter microsatellite polymorphism in a general population sample. Results from the

European Community Respiratory Health Survey (ECRHS), France. *J Med Genet* 2006; Aug;43(8):e43.

Guenegou A, Leynaert B, Pin I, Le Moel G, Zureik M, Neukirch F. Serum carotenoids, vitamins A and E, and 8 year lung function decline in a general population. *Thorax* 2006; Apr;61(4):320-6.

Gunnbjörnsdóttir MI, Franklin KA, Norbäck D, Björnsson E, Gislason D, Lindberg E, et al. Prevalence and incidence of respiratory symptoms in relation to indoor dampness: the RHINE study. *Thorax* 2006; Mar;61(3):221-5.

Gunnbjörnsdóttir MI, Norbäck D, Plaschke P, Norrman E, Björnsson E, Janson C. The relationship between indicators of building dampness and respiratory health in young Swedish adults. *Respir Med* 2003; Apr;97(4):302-7.

Gunnbjörnsdóttir MI, Omenaas E, Gislason T, Norrman E, Olin AC, Jøgi R, et al. Obesity and nocturnal gastro-oesophageal reflux are related to onset of asthma and respiratory symptoms. *Eur Respir J* 2004; Jul;24(1):116-21.

Hallas TE, Gislason D, Björnsdóttir US, Jörundsdóttir KB, Janson C, Luczynska CM, et al. Sensitization to house dust mites in Reykjavik, Iceland, in the absence of domestic exposure to mites. *Allergy* 2004; May;59(5):515-9.

Harrop J, Chinn S, Verlato G, Olivieri M, Norbäck D, Wjst M, et al. Eczema, atopy and allergen exposure in adults: a population-based study. *Clin Exp Allergy* 2007; Apr;37(4):526-35.

Hazenkamp-von Arx ME, Götschi F, Fellmann T, Oglesby L, Ackermann-Liebrich U, Gislason T, Heinrich J, et al. PM2.5 assessment in 21 European study centers of ECRHS II: Method and first winter results. *J Air Waste Manag Assoc* 2003; May;53(5):617-28.

Holm M, Omenaas E, Gislason T, Svanes C, Jøgi R, Norrman E, et al. Remission of asthma: a prospective longitudinal study from northern Europe (RHINE study). *Eur Respir J* 2007; Jul;30(1):62-5.

Jacquemin B, Sunyer J, Forsberg B, Aguilera I, Briggs D, Götschi T, et al. Association between annoyance and individuals' values of nitrogen dioxide in a European setting. *J Epidemiol Community Health* 2008; May;62(5):e12.

Jacquemin B, Sunyer J, Forsberg B, Götschi T, Bayer-Oglesby L, Ackermann-Liebrich U, et al. Annoyance due to air pollution in Europe. *Int J Epidemiol* 2007; Aug;36(4):809-20.

Jaén A, Sunyer J, Basagaña X, Chinn S, Zock JP, Antó JM, et al. Specific sensitization to common allergens and pulmonary function in the European Community Respiratory Health Survey. *Clin Exp Allergy* 2002; Dec;32(12):1713-9.

Janson C, Antó J, Burney P, Chinn S, de Marco R, Heinrich J, et al. The European Community Respiratory Health Survey: what are the main results so far? European Community Respiratory Health Survey II. *Eur Respir J* 2001; Sep;18(3):598-611.

Janson C, Chinn S, Jarvis D, Burney P. Determinants of cough in young adults participating in the European Community Respiratory Health Survey. *Eur Respir J* 2001; Oct;18(4):647-54.

Janson C, Chinn S, Jarvis D, Burney P. Individual use of antiasthmatic drugs in the European Community Respiratory Health Survey. *Eur Respir J* 1998; Sep;12(3):557-63.

Janson C, Chinn S, Jarvis D, Burney P. Physician-diagnosed asthma and drug utilization in the European Community Respiratory Health Survey. *Eur Respir J* 1997; Aug;10(8):1795-802.

Janson C, Chinn S, Jarvis D, Zock JP, Torén K, Burney P, et al. Effect of passive smoking on respiratory symptoms, bronchial responsiveness, lung function, and total serum IgE in the European Community Respiratory Health Survey: a cross-sectional study. *Lancet* 2001; Dec 22-29;358(9299):2103-9.

Janson C, De Backer W, Gislason T, Plaschke P, Björnsson E, Hetta J, et al. Increased prevalence of sleep disturbances and daytime sleepiness in subjects with bronchial asthma: a population study of young adults in three European countries. *Eur Respir J* 1996; Oct;9(10):2132-8.

Janson C, Gislason D, Iversen M, Omenaas E, Norrman E, Plaschke P. [Asthma symptoms and anti-asthma drugs in 4 Scandinavian countries]. *Nord Med* 1996; May;111(5):147-50.

Janson C, Gislason T, De Backer W, Plaschke P, Björnsson E, Hetta J, et al. Prevalence of sleep disturbances among young adults in three European countries. *Sleep* 1995; Sep;18(7):589-97.

Janson C, Gislason T, De Backer W, Plaschke P, Björnsson E, Hetta J, et al. Daytime sleepiness, snoring and gastro-oesophageal reflux amongst young adults in three European countries. *J Intern Med* 1995; Mar;237(3):277-85.

Janson C, Künzli N, de Marco R, Chinn S, Jarvis D, Svanes C, et al. Changes in active and passive smoking in the European Community Respiratory Health Survey. *Eur Respir J* 2006; Mar;27(3):517-24.

Jarvis D, Chinn S, Luczynska C, Burney P. The association of smoking with sensitization to common environmental allergens: results from the European Community Respiratory Health Survey. *J Allergy Clin Immunol* 1999; Nov;104(5):934-40.

Jarvis D, Chinn S, Luczynska C, Burney P. The association of family size with atopy and atopic disease. *Clin Exp Allergy* 1997; Mar;27(3):240-5.

Jarvis D, Chinn S, Luczynska C, Burney P. Association of respiratory symptoms and lung function in young adults with use of domestic gas appliances. *Lancet* 1996; Feb 17;347(8999):426-31.

Jarvis D, Chinn S, Potts J, Burney P, European Community Respiratory Health S. Association of body mass index with respiratory symptoms and atopy: results from

the European Community Respiratory Health Survey. *Clin Exp Allergy* 2002; Jun;32(6):831-7.

Jarvis D, Chinn S, Sterne J, Luczynska C, Burney P. The association of respiratory symptoms and lung function with the use of gas for cooking. European Community Respiratory Health Survey. *Eur Respir J* 1998; Mar;11(3):651-8.

Jarvis D, Lai E, Luczynska C, Chinn S, Burney P. Prevalence of asthma and asthma-like symptoms in young adults living in three east Anglian towns. *Br J Gen Pract* 1994; Nov;44(388):493-7.

Jarvis D, Luczynska C, Chinn S, Burney P. The association of hepatitis A and *Helicobacter pylori* with sensitization to common allergens, asthma and hay fever in a population of young British adults. *Allergy* 2004; Oct;59(10):1063-7.

Jarvis D, Luczynska C, Chinn S, Burney P. The association of age, gender and smoking with total IgE and specific IgE. *Clin Exp Allergy* 1995; Nov;25(11):1083-91.

Jarvis D, Luczynska C, Chinn S, Potts J, Sunyer J, Janson C, et al. Change in prevalence of IgE sensitization and mean total IgE with age and cohort. *J Allergy Clin Immunol* 2005; Sep;116(3):675-82.

Jarvis D, Zock JP, Heinrich J, Svanes C, Verlato G, Olivieri M, et al. Cat and dust mite allergen levels, specific IgG and IgG4, and respiratory symptoms in adults. *J Allergy Clin Immunol* 2007; Mar;119(3):697-704.

Jõgi R, Björkstén B, Boman G, Janson C. Serum eosinophil cationic protein (S-ECP) in a population with low prevalence of atopy. *Respir Med* 2002; Jul;96(7):525-9.

Jõgi R, Janson C, Björnsson E, Boman G, Björkstén B. Atopy and allergic disorders among adults in Tartu, Estonia compared with Uppsala, Sweden. *Clin Exp Allergy* 1998; Sep;28(9):1072-80.

Jõgi R, Janson C, Björnsson E, Boman G, Björkstén B. The prevalence of asthmatic respiratory symptoms among adults in Estonian and Swedish university cities. *Allergy* 1996; May;51(5):331-6.

Jõgi R, Janson C, Boman G, Björkstén B. Bronchial hyperresponsiveness in two populations with different prevalences of atopy. *Int J Tuberc Lung Dis* 2004; Oct;8(10):1180-5.

Johnson AR, Dimich-Ward HD, Manfreda J, Becklake MR, Ernst P, Sears MR, et al. Occupational asthma in adults in six Canadian communities. *Am J Respir Crit Care Med* 2000; Dec;162(6):2058-62.

Kerkhof M, Droste JH, de Monchy JG, Schouten JP, Rijcken B. Distribution of total serum IgE and specific IgE to common aeroallergens by sex and age, and their relationship to each other in a random sample of the Dutch general population aged 20-70 years. Dutch ECRHS Group, European Community Respiratory Health Study. *Allergy* 1996; Nov;51(11):770-6.

Kerkhof M, Schouten JP, De Monchy JG. The association of sensitization to inhalant allergens with allergy symptoms: the influence of bronchial hyperresponsiveness and blood eosinophil count. *Clin Exp Allergy* 2000; Oct;30(10):1387-94.

Knox J, Jarvis D, Walter EH, ECRHS II Steering C. The European Community Respiratory Health Survey II. *Eur Respir J* 2003; author reply 556; Mar;21(3):556.

Kogevinas M, Antó JM, Soriano JB, Tobias A, Burney P. The risk of asthma attributable to occupational exposures. A population-based study in Spain. Spanish Group of the European Asthma Study. *Am J Respir Crit Care Med* 1996; Jul;154(1):137-43.

Kogevinas M, Antó JM, Sunyer J, Tobias A, Kromhout H, Burney P. Occupational asthma in Europe and other industrialised areas: a population-based study. European Community Respiratory Health Survey Study Group. *Lancet* 1999; May 22;353(9166):1750-4.

Kogevinas M, Antó JM, Tobias A, Alonso J, Soriano J, Almar E, et al. Respiratory symptoms, lung function and use of health services among unemployed young adults in Spain. Spanish Group of the European Community Respiratory Health Survey. *Eur Respir J* 1998; Jun;11(6):1363-8.

Kogevinas M, Zock JP, Jarvis D, Kromhout H, Lillienberg L, Plana E, et al. Exposure to substances in the workplace and new-onset asthma: an international prospective population-based study (ECRHS-II). *Lancet* 2007; Jul 28;370(9584):336-41.

Kony S, Zureik M, Driss F, Neukirch C, Leynaert B, Neukirch F. Association of bronchial hyperresponsiveness and lung function with C-reactive protein (CRP): a population based study. *Thorax* 2004; Oct;59(10):892-6.

Kony S, Zureik M, Neukirch C, Leynaert B, Vervloet D, Neukirch F. Rhinitis is associated with increased systolic blood pressure in men: a population-based study. *Am J Respir Crit Care Med* 2003; Feb 15;167(4):538-43.

Künzli N, Kuna-Dibbert B, Keidel D, Keller R, Brandli O, Schindler C, et al. Longitudinal validity of spirometers--a challenge in longitudinal studies. *Swiss Med Wkly* 2005; Aug 20;135(33-34):503-8.

Künzli N, Mudway IS, Götschi T, Shi T, Kelly FJ, Cook S, et al. Comparison of oxidative properties, light absorbance, total and elemental mass concentration of ambient PM_{2.5} collected at 20 European sites. *Environ Health Perspect* 2006; May;114(5):684-90.

Laerum BN, Svanes C, Gulsvik A, Iversen M, Thorarinsdottir HR, Gislason T, et al. Is birth weight related to lung function and asthma symptoms in Nordic-Baltic adults?. *Respir Med* 2004; Jul;98(7):611-8.

Laerum BN, Svanes C, Wentzel-Larsen T, Gulsvik A, Iversen M, Gislason T, et al. The association between birth size and atopy in young North-European adults. *Clin Exp Allergy* 2005; Aug;35(8):1022-7.

Laerum BN, Svanes C, Wentzel-Larsen T, Gulsvik A, Torén K, Norrman E, et al. Young maternal age at delivery is associated with asthma in adult offspring. *Respir Med* 2007; Jul;101(7):1431-8.

Lewis S, Hales S, Slater T, Pearce N, Crane J, Beasley R. Geographical variation in the prevalence of asthma symptoms in New Zealand. *N Z Med J* 1997; Aug 8;110(1049):286-9.

Leynaert B, Bousquet J, Henry C, Liard R, Neukirch F. Is bronchial hyperresponsiveness more frequent in women than in men? A population-based study. *Am J Respir Crit Care Med* 1997; Nov;156(5):1413-20.

Leynaert B, Bousquet J, Neukirch C, Liard R, Neukirch F. Perennial rhinitis: An independent risk factor for asthma in nonatopic subjects: results from the European Community Respiratory Health Survey. *J Allergy Clin Immunol* 1999; Aug;104(2 Pt 1):301-4.

Leynaert B, Guilloud-Bataille M, Soussan D, Benessiano J, Guenegou A, Pin I, et al. Association between farm exposure and atopy, according to the CD14 C-159T polymorphism. *J Allergy Clin Immunol* 2006; Sep;118(3):658-65.

Leynaert B, Neukirch C, Jarvis D, Chinn S, Burney P, Neukirch F, et al. Does living on a farm during childhood protect against asthma, allergic rhinitis, and atopy in adulthood?. *Am J Respir Crit Care Med* 2001; Nov 15;164(10 Pt 1):1829-34.

Leynaert B, Neukirch C, Kony S, Guenegou A, Bousquet J, Aubier M, et al.

Association between asthma and rhinitis according to atopic sensitization in a population-based study. *J Allergy Clin Immunol* 2004; Jan;113(1):86-93.

Leynaert B, Neukirch C, Liard R, Bousquet J, Neukirch F. Quality of life in allergic rhinitis and asthma. A population-based study of young adults. *Am J Respir Crit Care Med* 2000; Oct;162(4 Pt 1):1391-6.

Lillienberg L, Zock JP, Kromhout H, Plana E, Jarvis D, TorénK, et al. A population-based study on welding exposures at work and respiratory symptoms. *Ann Occup Hyg* 2008; Mar;52(2):107-15.

Ludviksdottir D, Björnsson E, Janson C, Boman G. Habitual coughing and its associations with asthma, anxiety, and gastroesophageal reflux. *Chest* 1996; May;109(5):1262-8.

Malinovschi A, Janson C, Holmkvist T, Norbäck D, Meriläinen P, Högman M. IgE sensitisation in relation to flow-independent nitric oxide exchange parameters. *Respir Res* 2006;7:92.

Malinovschi A, Janson C, Holmkvist T, Norbäck D, Meriläinen P, Högman M. Effect of smoking on exhaled nitric oxide and flow-independent nitric oxide exchange parameters. *Eur Respir J* 2006; Aug;28(2):339-45.

Manfreda J, Becklake MR, Sears MR, Chan-Yeung M, Dimich-Ward H, Siersted HC, et al. Prevalence of asthma symptoms among adults aged 20-44 years in Canada.

CMAJ 2001; Apr 3;164(7):995-1001.

Manfreda J, Sears MR, Becklake MR, Chan-Yeung M, Dimich-Ward H, Siersted HC, et al. Geographic and gender variability in the prevalence of bronchial responsiveness

in Canada. *Chest* 2004; May;125(5):1657-64.

Martinez-Moratalla J, Almar E, Sunyer J, Ramos J, Pereira A, Payo F, et al.

[European Asthma Study. Identifying and treating young adults with epidemiological criteria for asthma in five areas of Spain. Spanish Group of the European Asthma

Study]. *Arch Bronconeumol* 1999; May;35(5):223-8.

Matheson M, Raven J, Woods RK, Thien F, Walters EH, Abramson M. Wheeze not current asthma affects quality of life in young adults with asthma. *Thorax* 2002;

Feb;57(2):165-7.

Matheson M, Wicking J, Raven J, Woods R, Thien F, Abramson M, et al. Asthma management: how effective is it in the community?. *Intern Med J* 2002; Sep-

Oct;32(9-10):451-6.

Matheson MC, Abramson MJ, Dharmage SC, Forbes AB, Raven JM, Thien FC, et al.

Changes in indoor allergen and fungal levels predict changes in asthma activity

among young adults. *Clin Exp Allergy* 2005; Jul;35(7):907-13.

Matheson MC, Dharmage SC, Forbes AB, Raven JM, Woods RK, Thien FC, et al. Residential characteristics predict changes in Der p 1, Fel d 1 and ergosterol but not fungi over time. *Clin Exp Allergy* 2003; Sep;33(9):1281-8.

McCurdy SA, Sunyer J, Zock JP, Antó JM, Kogevinas M, European Community Respiratory Health Survey Study, Group. Smoking and occupation from the European Community Respiratory Health Survey. *Occup Environ Med* 2003; Sep;60(9):643-8.

Mirabelli MC, Zock JP, Plana E, Antó JM, Benke G, Blanc PD, et al. Occupational risk factors for asthma among nurses and related healthcare professionals in an international study. *Occup Environ Med* 2007; Jul;64(7):474-9.

Mirabelli MC, Zock JP, Plana E, Benke G, Kromhout H, Norbäck D, et al. Employment status and use of respiratory protection among metalworkers, solderers and welders. *Occup Environ Med* 2007; Aug;64(8):548-52.

Mueller JE, Frye C, Brasche S, Heinrich J. Association of hormone replacement therapy with bronchial hyper-responsiveness. *Respir Med* 2003; Aug;97(8):990-2.

Nadal Blanco MJ, Magro Perteguer R, Gil Zarzosa L, Sánchez Hernandez I, Guinea Jaime J, Rio Borreguero T. [The influence of tobacco consumption on the prevalence of symptoms related to asthma]. *Aten Primaria* 1999; May 31;23(9):537-42.

Nadal Blanco MJ, Magro Perteguer R, Villena Romero R, Gil Zarzosa L, Sánchez Hernandez I, Guinea Jaime J. [Prevalence of symptoms related to asthma in Guadalajara]. *Arch Bronconeumol* 1998; Jun;34(6):289-94.

Neukirch C, Henry C, Leynaert B, Liard R, Bousquet J, Neukirch F. Is sensitization to *Alternaria alternata* a risk factor for severe asthma? A population-based study. *J Allergy Clin Immunol* 1999; Apr;103(4):709-11.

Neukirch F, Pin I, Knani J, Henry C, Pison C, Liard R, et al. Prevalence of asthma and asthma-like symptoms in three French cities. *Respir Med* 1995; Nov;89(10):685-92.

Neuman A, Gunnbjörnsdóttir M, Tunsater A, Nystrom L, Franklin KA, Norrman E, et al. Dyspnea in relation to symptoms of anxiety and depression: A prospective population study. *Respir Med* 2006; Oct;100(10):1843-9.

Newson RB, Shaheen SO, Chinn S, Burney PG. Paracetamol sales and atopic disease in children and adults: an ecological analysis. *Eur Respir J* 2000; Nov;16(5):817-23.

Norbäck D, Björnsson E, Janson C, Palmgren U, Boman G. Current asthma and biochemical signs of inflammation in relation to building dampness in dwellings. *Int J Tuberc Lung Dis* 1999; May;3(5):368-76.

Norbäck D, Björnsson E, Janson C, Widstrom J, Boman G. Asthmatic symptoms and volatile organic compounds, formaldehyde, and carbon dioxide in dwellings. *Occup Environ Med* 1995; Jun;52(6):388-95.

Norrman E, Plaschke P, Björnsson E, Rosenhall L, Lundback B, Jansson C, et al. Prevalence of bronchial hyper-responsiveness in the southern, central and northern parts of Sweden. *Respir Med* 1998; Mar;92(3):480-7.

Nowak D, Heinrich J, Jörres R, Wassmer G, Berger J, Beck E, et al. Prevalence of respiratory symptoms, bronchial hyperresponsiveness and atopy among adults: west and east Germany. *Eur Respir J* 1996; Dec;9(12):2541-52.

Nowak D, Jörres R, Berger J, Claussen M, Magnussen H. Airway responsiveness to sulfur dioxide in an adult population sample. *Am J Respir Crit Care Med* 1997; Oct;156(4 Pt 1):1151-6.

Ólafsdóttir IS, Gislason T, Thjodleifsson B, Ólafsson I, Gislason D, Jögi R, et al. Gender differences in the association between C-reactive protein, lung function impairment, and COPD. *Int J Chron Obstruct Pulmon Dis* 2007;2(4):635-42.

Ólafsdóttir I S, Gislason T, Thjodleifsson B, Ólafsson I, Gislason D, Jögi R, et al. C reactive protein levels are increased in non-allergic but not allergic asthma: a multicentre epidemiological study. *Thorax* 2005; Jun;60(6):451-4.

Olivieri M, Poli A, Zuccaro P, Ferrari M, Lampronti G, de Marco R, et al. Tobacco smoke exposure and serum cotinine in a random sample of adults living in Verona, Italy. *Arch Environ Health* 2002; Jul-Aug;57(4):355-9.

Olivieri M, Verlato G, Corsico A, Lo Cascio V, Bugiani M, Marinoni A, et al. Prevalence and features of allergic rhinitis in Italy. *Allergy* 2002; Jul;57(7):600-6.

Papageorgiou N, Gaga M, Marossis C, Reppas C, Avarlis P, Kyriakou M, et al. Prevalence of asthma and asthma-like symptoms in Athens, Greece. *Respir Med* 1997; Feb;91(2):83-8.

Pattaro C, Heinrich J, Werner M, de Marco R, Wjst M. Association between interleukin-1 receptor antagonist gene and asthma-related traits in a German adult population. *Allergy* 2006; Feb;61(2):239-44.

Pattaro C, Locatelli F, Sunyer J, de Marco R. Using the age at onset may increase the reliability of longitudinal asthma assessment. *J Clin Epidemiol* 2007; Jul;60(7):704-11.

Pearce N, Sunyer J, Cheng S, Chinn S, Björkstén B, Burr M, et al. Comparison of asthma prevalence in the ISAAC and the ECRHS. ISAAC Steering Committee and the European Community Respiratory Health Survey. International Study of Asthma and Allergies in Childhood. *Eur Respir J* 2000; Sep;16(3):420-6.

Pekkanen J, Sunyer J, Antó JM, Burney P, European Community Respiratory Health S. Operational definitions of asthma in studies on its aetiology. *Eur Respir J* 2005; Jul;26(1):28-35.

Pereira Vega A, Sánchez Ramos JL, Maldonado Pérez JA, Ayerbe Garcia R, Gomez Entrena M, Gravalos Guzman J. [Relation between asthma and atopy markers in children and young adults]. *Arch Bronconeumol* 1997; Jun;33(6):272-7.

Plaschke P, Janson C, Norrman E, Björnsson E, ELLBJÄR S, JÄRVHOLM B. Association between atopic sensitization and asthma and bronchial hyperresponsiveness in swedish adults: pets, and not mites, are the most important allergens. *J Allergy Clin Immunol* 1999; Jul;104(1):58-65.

Plaschke P, Janson C, Norrman E, Björnsson E, Lundback B, Lindholm N, et al. Skin prick tests and specific IgE in adults from three different areas of Sweden. *Allergy* 1996; Jul;51(7):461-72.

Plaschke PP, Janson C, Norrman E, Björnsson E, ELLBJÄR S, JÄRVHOLM B. Onset and remission of allergic rhinitis and asthma and the relationship with atopic sensitization and smoking. *Am J Respir Crit Care Med* 2000; Sep;162(3 Pt 1):920-4.

Ponzio M, Villani S, Frigerio F, Verri A, Marinoni A, Gruppo ECRHS. [Preliminary analysis of indoor pollution from nitrogen dioxide in an area of Northern Italy]. *Epidemiol Prev* 2006; Mar-Apr;30(2):85-90.

Popp W, Wagner C, Merkle M, Reiser K, Kiss D, Zwick H. [Allergic rhinitis, respiratory obstruction and bronchial asthma in the Vienna population]. *Wien Klin Wochenschr* 1993;105(13):377-81.

Praml G, Scharrer E, de la Motte D, Nowak D, Scheuch G, Sommerer K, et al. The physical and biological doses of methacholine are different for Mefar MB3 and Jaeger APS sidestream nebulizers. *Chest* 2005; Nov;128(5):3585-9.

Priftanji AV, Qirko E, Layzell JC, Burr ML, Fifield R. Asthma and allergy in Albania. *Allergy* 1999; Oct;54(10):1042-7.

Radon K, Busching K, Heinrich J, Wichmann HE, Jörres RA, Magnussen H, et al. Passive smoking exposure: a risk factor for chronic bronchitis and asthma in adults?. *Chest* 2002; Sep;122(3):1086-90.

Radon K, Danuser B, Iversen M, Jörres R, Monso E, Opravil U, et al. Respiratory symptoms in European animal farmers. *Eur Respir J* 2001; Apr;17(4):747-54.

Radon K, Gerhardinger U, Schulze A, Zock JP, Norbäck D, Torén K, et al. Occupation and adult onset of rhinitis in the general population. *Occup Environ Med* 2008; Jan;65(1):38-43.

Radon K, Monso E, Weber C, Danuser B, Iversen M, Opravil U, et al. Prevalence and risk factors for airway diseases in farmers--summary of results of the European Farmers' Project. *Ann Agric Environ Med* 2002;9(2):207-13.

Raherison C, Baldi I, Tunon-De-Lara JM, Taytard A, Annesi-Maesano I. Asthma phenotypes according to the timing of smoking onset in young adults. *Int J Tuberc Lung Dis* 2003; Jan;7(1):84-92.

Rava M, Verlato G, Bono R, Ponzio M, Sartori S, Blengio G, et al. A predictive model for the home outdoor exposure to nitrogen dioxide. *Sci Total Environ* 2007; Oct 1;384(1-3):163-70.

Real FG, Svanes C, Omenaas ER, Antó JM, Plana E, Janson C, et al. Menstrual irregularity and asthma and lung function. *J Allergy Clin Immunol* 2007; Sep;120(3):557-64.

Real FG, Svanes C, Omenaas ER, Antó JM, Plana E, Jarvis D, et al. Lung function, respiratory symptoms, and the menopausal transition. *J Allergy Clin Immunol* 2008; Jan;121(1):72,80.e3.

Reid D, Abramson M, Raven J, Walters HE. Management and treatment perceptions among young adults with asthma in Melbourne: the Australian experience from the European Community Respiratory Health Survey. *Respirology* 2000; Sep;5(3):281-7.

Richter K, Heinrich J, Jörres RA, Magnussen H, Wichmann HE. Trends in bronchial hyperresponsiveness, respiratory symptoms and lung function among adults: West and East Germany. INGA Study Group. Indoor Factors and Genetics in Asthma. *Respir Med* 2000; Jul;94(7):668-77.

Roca J, Burgos F, Sunyer J, Saez M, Chinn S, Antó JM, et al. Reference values for forced spirometry. Group of the European Community Respiratory Health Survey. *Eur Respir J* 1998; Jun;11(6):1354-62.

Roche N, Dalmay F, Pérez T, Kuntz C, Vergnenègre A, Neukirch F, et al. FEV1/FVC and FEV1 for the assessment of chronic airflow obstruction in prevalence studies: do prediction equations need revision?. *Respir Med* 2008; Nov;102(11):1568-74.

Roche N, Dalmay F, Pérez T, Kuntz C, Vergnenègre A, Neukirch F, et al. Impact of chronic airflow obstruction in a working population. *Eur Respir J* 2008; Jun;31(6):1227-33.

Roost HP, Künzli N, Schindler C, Jarvis D, Chinn S, Perruchoud AP, et al. Role of current and childhood exposure to cat and atopic sensitization. European Community Respiratory Health Survey. *J Allergy Clin Immunol* 1999; Nov;104(5):941-7.

Sausenthaler S, Kompauer I, Brasche S, Linseisen J, Heinrich J. Sodium intake and bronchial hyperresponsiveness in adults. *Respir Med* 2005; Jul;99(7):864-70.

Schaeffer L, Gohlke H, Muller M, Heid IM, Palmer LJ, Kompauer I, et al. Common genetic variants of the FADS1 FADS2 gene cluster and their reconstructed haplotypes are associated with the fatty acid composition in phospholipids. *Hum Mol Genet* 2006; Jun 1;15(11):1745-56.

Schutz-Kiss D, Popp W, Wagner C, Reiser K, Havelec L, Zwick H. [Sensitization to inhaled allergens in the Vienna population]. *Wien Klin Wochenschr* 1995;107(11):331-5.

Sears MR, Lewis S, Herbison GP, Robson B, Flannery EM, Holdaway MD, et al. Comparison of reported prevalences of recent asthma in longitudinal and cross-sectional studies. *Eur Respir J* 1997; Jan;10(1):51-4.

Shaaban R, Kony S, Driss F, Leynaert B, Soussan D, Pin I, et al. Change in C-reactive protein levels and FEV1 decline: a longitudinal population-based study. *Respir Med* 2006; Dec;100(12):2112-20.

Shaaban R, Leynaert B, Soussan D, Antó JM, Chinn S, de Marco R, et al. Physical activity and bronchial hyperresponsiveness: European Community Respiratory Health Survey II. *Thorax* 2007; May;62(5):403-10.

Shaaban R, Zureik M, Soussan D, Antó JM, Heinrich J, Janson C, et al. Allergic rhinitis and onset of bronchial hyperresponsiveness: a population-based study. *Am J Respir Crit Care Med* 2007; Oct 1;176(7):659-66.

Shaaban R, Zureik M, Soussan D, Neukirch C, Heinrich J, Sunyer J, et al. Rhinitis and onset of asthma: a longitudinal population-based study. *Lancet* 2008; Sep 20;372(9643):1049-57.

Siersted HC, Walker CM, O'Shaughnessy AD, Willan AR, Wiecek EM, Sears MR. Comparison of two standardized methods of methacholine inhalation challenge in young adults. *Eur Respir J* 2000; Jan;15(1):181-4.

Siroux V, Boudier A, Antó JM, Cazzoletti L, Accordini S, Alonso J, et al. Quality-of-life and asthma-severity in general population asthmatics: results of the ECRHS II study. *Allergy* 2008; May;63(5):547-54.

Sistek D, Wickens K, Armstrong R, D'Souza W, Town I, Crane J. Predictive value of respiratory symptoms and bronchial hyperresponsiveness to diagnose asthma in New Zealand. *Respir Med* 2006; Dec;100(12):2107-11.

Soriano JB, Antó JM, Sunyer J, Tobias A, Kogevinas M, Almar E, et al. Risk of asthma in the general Spanish population attributable to specific immunoresponse. Spanish Group of the European Community Respiratory Health Survey. *Int J Epidemiol* 1999; Aug;28(4):728-34.

Soriano JB, Tobias A, Kogevinas M, Sunyer J, Saez M, Martinez-Moratalla J, et al. Atopy and nonspecific bronchial responsiveness. A population-based assessment. Spanish Group of the European Community Respiratory Health Survey. *Am J Respir Crit Care Med* 1996; Dec;154(6 Pt 1):1636-40.

Sunyer J, Antó JM, Kogevinas M, Barcelo MA, Soriano JB, Tobias A, et al. Risk factors for asthma in young adults. Spanish Group of the European Community Respiratory Health Survey. *Eur Respir J* 1997; Nov;10(11):2490-4.

Sunyer J, Antó JM, Plana E, Janson C, Jarvis D, Kony S, et al. Maternal atopy and changes in parity. *Clin Exp Allergy* 2005; Aug;35(8):1028-32.

Sunyer J, Antó JM, Tobias A, Burney P. Generational increase of self-reported first attack of asthma in fifteen industrialized countries. European Community Respiratory Health Study (ECRHS). *Eur Respir J* 1999; Oct;14(4):885-91.

Sunyer J, Basagaña X, Burney P, Antó JM. International assessment of the internal consistency of respiratory symptoms. European Community Respiratory Health Study (ECRHS). *Am J Respir Crit Care Med* 2000; Sep;162(3 Pt 1):930-5.

Sunyer J, Basagaña X, Roca J, Urrutia I, Jaén A, Antó JM, et al. Relations between respiratory symptoms and spirometric values in young adults: the European community respiratory health study. *Respir Med* 2004; Oct;98(10):1025-33.

Sunyer J, Jarvis D, Götschi T, Garcia-Esteban R, Jacquemin B, Aguilera I, et al.

Chronic bronchitis and urban air pollution in an international study. *Occup Environ Med* 2006; Dec;63(12):836-43.

Sunyer J, Jarvis D, Pekkanen J, Chinn S, Janson C, Leynaert B, et al. Geographic variations in the effect of atopy on asthma in the European Community Respiratory Health Study. *J Allergy Clin Immunol* 2004; Nov;114(5):1033-9.

Sunyer J, Kogevinas M, Kromhout H, Antó JM, Roca J, Tobias A, et al. Pulmonary ventilatory defects and occupational exposures in a population-based study in Spain. Spanish Group of the European Community Respiratory Health Survey. *Am J Respir Crit Care Med* 1998; Feb;157(2):512-7.

Sunyer J, Muñoz A. Concentrations of methacholine for bronchial responsiveness according to symptoms, smoking and immunoglobulin E in a population-based study in Spain. Spanish Group of the European Asthma Study. *Am J Respir Crit Care Med* 1996; Apr;153(4 Pt 1):1273-9.

Sunyer J, Pekkanen J, Garcia-Esteban R, Svanes C, Künzli N, Janson C, et al. Asthma score: predictive ability and risk factors. *Allergy* 2007; Feb;62(2):142-8.

Sunyer J, Soriano J, Antó JM, Burgos F, Pereira A, Payo F, et al. Sensitization to individual allergens as risk factors for lower FEV1 in young adults. European Community Respiratory Health Survey. *Int J Epidemiol* 2000; Feb;29(1):125-30.

Sunyer J, Zock JP, Kromhout H, Garcia-Esteban R, Radon K, Jarvis D, et al. Lung function decline, chronic bronchitis, and occupational exposures in young adults. *Am J Respir Crit Care Med* 2005; Nov 1;172(9):1139-45.

Svanes C, Dharmage S, Sunyer J, Zock JP, Norbäck D, Wjst M, et al. Long-term reliability in reporting of childhood pets by adults interviewed twice, 9 years apart. Results from the European Community Respiratory Health Survey I and II. *Indoor Air* 2008; Apr;18(2):84-92.

Svanes C, Heinrich J, Jarvis D, Chinn S, Omenaas E, Gulsvik A, et al. Pet-keeping in childhood and adult asthma and hay fever: European community respiratory health survey. *J Allergy Clin Immunol* 2003; Aug;112(2):289-300.

Svanes C, Jarvis D, Chinn S, Burney P. Childhood environment and adult atopy: results from the European Community Respiratory Health Survey. *J Allergy Clin Immunol* 1999; Mar;103(3 Pt 1):415-20.

Svanes C, Jarvis D, Chinn S, Omenaas E, Gulsvik A, Burney P, et al. Early exposure to children in family and day care as related to adult asthma and hay fever: results from the European Community Respiratory Health Survey. *Thorax* 2002; Nov;57(11):945-50.

Svanes C, Omenaas E, Eide GE, Fluge O, Gulsvik A. Hospitalization for lung disease in early childhood and asthma symptoms in young adulthood. *Respir Med* 1998; Aug;92(8):1003-9.

Svanes C, Omenaas E, Jarvis D, Chinn S, Gulsvik A, Burney P. Parental smoking in childhood and adult obstructive lung disease: results from the European Community Respiratory Health Survey. *Thorax* 2004; Apr;59(4):295-302.

Svanes C, Real FG, Gislason T, Jansson C, Jøgi R, Norrman E, et al. Association of asthma and hay fever with irregular menstruation. *Thorax* 2005; Jun;60(6):445-50.

Svanes C, Zock JP, Antó J, Dharmage S, Norbäck D, Wjst M, et al. Do asthma and allergy influence subsequent pet keeping? An analysis of childhood and adulthood. *J Allergy Clin Immunol* 2006; Sep;118(3):691-8.

Taille C, Guenegou A, Almolki A, Piperaud M, Leynaert B, Vuillaumier S, et al. ETB receptor polymorphism is associated with airway obstruction. *BMC Polm Med* 2007;7:5.

Tobias A, Soriano JB, Chinn S, Antó JM, Sunyer J, Burney P, et al. Symptoms of asthma, bronchial responsiveness and atopy in immigrants and emigrants in Europe. European Community Respiratory Health Survey. *Eur Respir J* 2001; Sep;18(3):459-65.

TorénK, Gislason T, Omenaas E, Jøgi R, Forsberg B, Nystrom L, et al. A prospective study of asthma incidence and its predictors: the RHINE study. *Eur Respir J* 2004; Dec;24(6):942-6.

Trak-Fellermeier MA, Brasche S, Winkler G, Koletzko B, Heinrich J. Food and fatty acid intake and atopic disease in adults. *Eur Respir J* 2004; Apr;23(4):575-82.

Urrutia I. Capelastegui A. Quintana JM. Muniozguren N. Basagaña X. Sunyer J.
Spanish Group of the European Community Respiratory Health Survey (ECRHS-I).
Smoking habit, respiratory symptoms and lung function in young adults. *Eur J Public
Health* 2005; Apr;15(2):160-5.

Urrutia I. Capelastegui A. Quintana JM. Muniozguren N. Payo F. Martinez Moratalla
J. Maldonado JA. Basagaña X. Antó JM. Sunyer J. Grupo Espanol Europeo de Salud
Respiratoria (ECRHS-I). [Association between the forced midexpiratory flow/forced
vital capacity ratio and bronchial hyperresponsiveness]. *Arch Bronconeumol* 2004;
Sep;40(9):397-402.

Urrutia I, Aguirre U, Sunyer J, Plana E, Muniozguren N, Martinez-Moratalla J, et al.
[Changes in the prevalence of asthma in the Spanish cohort of the European
Community Respiratory Health Survey (ECRHS-II)].[erratum appears in Arch
Bronconeumol. 2007 Oct;43(10):589]. *Arch Bronconeumol* 2007; Aug;43(8):425-30.

Verlato G, Calabrese R, De Marco R. Correlation between asthma and climate in the
European Community Respiratory Health Survey. *Arch Environ Health* 2002; Jan-
Feb;57(1):48-52.

Verlato G, Cerveri I, Villani A, Pasquetto M, Ferrari M, Fanfulla F, et al. Evaluation
of methacholine dose-response curves by linear and exponential mathematical
models: goodness-of-fit and validity of extrapolation. *Eur Respir J* 1996;
Mar;9(3):506-11.

Verlato G, Corsico A, Villani S, Cerveri I, Migliore E, Accordini S, et al. Is the prevalence of adult asthma and allergic rhinitis still increasing? Results of an Italian study. *J Allergy Clin Immunol* 2003; Jun;111(6):1232-8.

Ward RJ, Liakakos P, Leonard RF, Reid DW, Johns DP, Walters EH. A critical evaluation of the Mefar dosimeter. *Eur Respir J* 1999; Aug;14(2):430-4.

Ward RJ, Ward C, Johns DP, Skoric B, Abramson M, Walters EH. European Community Respiratory Health Survey calibration project of dosimeter driving pressures. *Eur Respir J* 2002; Feb;19(2):252-6.

Wassmer G, Jörres RA, Heinrich J, Wjst M, Reitmeir P, Wichmann HE. The association between baseline lung function and bronchial responsiveness to methacholine. *Eur J Med Res* 1997; Feb 21;2(2):47-54.

Werner M, Herbon N, Gohlke H, Altmüller J, Knapp M, Heinrich J, et al. Asthma is associated with single-nucleotide polymorphisms in ADAM33. *Clin Exp Allergy* 2004; Jan;34(1):26-31.

Werner M, Topp R, Wimmer K, Richter K, Bischof W, Wjst M, et al. TLR4 gene variants modify endotoxin effects on asthma. *J Allergy Clin Immunol* 2003; Aug;112(2):323-30.

Wieringa MH, Vermeire PA, Van Bever HP, Nelen VJ, Weyler JJ. Higher occurrence of asthma-related symptoms in an urban than a suburban area in adults, but not in children. *Eur Respir J* 2001; Mar;17(3):422-7.

Wieringa MH, Weyler JJ, Nelen VJ, Van Hoof KJ, Van Bastelaer FJ, Van Sprundel MP, et al. Prevalence of respiratory symptoms: marked differences within a small geographical area. *Int J Epidemiol* 1998; Aug;27(4):630-5.

Wieringa MH, Weyler JJ, Van Bastelaer FJ, Nelen VJ, Van Sprundel MP, Vermeire PA. Higher asthma occurrence in an urban than a suburban area: role of house dust mite skin allergy. *Eur Respir J* 1997; Jul;10(7):1460-6.

Wieslander G, Norbäck D, Björnsson E, Janson C, Boman G. Asthma and the indoor environment: the significance of emission of formaldehyde and volatile organic compounds from newly painted indoor surfaces. *Int Arch Occup Environ Health* 1997;69(2):115-24.

Wimmer K, Laubereau B, Wölke G, Doring A, Heinrich J. Weight gain in two adult cohorts in East and West Germany reunification. *Cent Eur J Public Health* 2003; Dec;11(4):202-8.

Woods RK, Abramson M, Bailey M, Walters EH. International prevalences of reported food allergies and intolerances. Comparisons arising from the European Community Respiratory Health Survey (ECRHS) 1991-1994. *Eur J Clin Nutr* 2001; Apr;55(4):298-304.

Woods RK, Abramson M, Raven JM, Bailey M, Weiner JM, Walters EH. Reported food intolerance and respiratory symptoms in young adults. *Eur Respir J* 1998; Jan;11(1):151-5.

Woods RK, Stoney RM, Raven J, Walters EH, Abramson M, Thien FC. Reported adverse food reactions overestimate true food allergy in the community. *Eur J Clin Nutr* 2002; Jan;56(1):31-6.

Woods RK, Walters EH, Wharton C, Watson N, Abramson M. The rising prevalence of asthma in young Melbourne adults is associated with improvement in treatment. *Ann Allergy Asthma Immunol* 2001; Aug;87(2):117-23.

Zemp E, Elsasser S, Schindler C, Künzli N, Perruchoud AP, Domenighetti G, et al. Long-term ambient air pollution and respiratory symptoms in adults (SAPALDIA study). The SAPALDIA Team. *Am J Respir Crit Care Med* 1999; Apr;159(4 Pt 1):1257-66.

Zock JP, Cavallé N, Kromhout H, Kennedy SM, Sunyer J, Jaén A, et al. Evaluation of specific occupational asthma risks in a community-based study with special reference to single and multiple exposures. *J Expo Anal Environ Epidemiol* 2004; Sep;14(5):397-403.

Zock JP, Heinrich J, Jarvis D, Verlato G, Norbäck D, Plana E, et al. Distribution and determinants of house dust mite allergens in Europe: the European Community Respiratory Health Survey II. *J Allergy Clin Immunol* 2006; Sep;118(3):682-90.

Zock JP, Jarvis D, Luczynska C, Sunyer J, Burney P, European Community Respiratory Health S. Housing characteristics, reported mold exposure, and asthma in the European Community Respiratory Health Survey. *J Allergy Clin Immunol* 2002; Aug;110(2):285-92.

Zock JP, Kogevinas M, Sunyer J, Almar E, Muniozguren N, Payo F, et al. Asthma risk, cleaning activities and use of specific cleaning products among Spanish indoor cleaners. *Scand J Work Environ Health* 2001; Feb;27(1):76-81.

Zock JP, Kogevinas M, Sunyer J, Jarvis D, TorénK, Antó JM, et al. Asthma characteristics in cleaning workers, workers in other risk jobs and office workers. *Eur Respir J* 2002; Sep;20(3):679-85.

Zock JP, Plana E, Jarvis D, Antó JM, Kromhout H, Kennedy SM, et al. The use of household cleaning sprays and adult asthma: an international longitudinal study. *Am J Respir Crit Care Med* 2007; Oct 15;176(8):735-41.

Zock JP, Sunyer J, Kogevinas M, Kromhout H, Burney P, Antó JM. Occupation, chronic bronchitis, and lung function in young adults. An international study. *Am J Respir Crit Care Med* 2001; Jun;163(7):1572-7.

Zureik M, Kony S, Neukirch C, Courbon D, Leynaert B, Vervloet D, et al. Bronchial hyperresponsiveness to methacholine is associated with increased common carotid intima-media thickness in men. *Arterioscler Thromb Vasc Biol* 2004; Jun;24(6):1098-103.

Zureik M, Neukirch C, Leynaert B, Liard R, Bousquet J, Neukirch F, et al. Sensitisation to airborne moulds and severity of asthma: cross sectional study from European Community respiratory health survey. *BMJ* 2002; Aug 24;325(7361):411-4.